

INVITATION TO BID

BID NO. 21-0050-6

PURCHASE OF NEW DUMP TRUCKS FOR CHATHAM COUNTY FLEET

PRE-BID CONFERENCE (AUDIO AVAILABILITY ONLY):
10:30AM, APRIL 15, 2021

BID OPENING: 2:00PM, APRIL 23, 2021

THE COMMISSIONERS OF CHATHAM COUNTY, GEORGIA

CHESTER A. ELLIS, CHAIRMAN

COMMISSIONER HELEN L. STONE

COMMISSIONER LARRY RIVERS

COMMISSIONER BOBBY LOCKETT

COMMISSIONER PATRICK J. FARRELL

COMMISSIONER TANYA MILTON

COMMISSIONER AARON R. WHITELY

COMMISSIONER DEAN KICKLIGHTER

COMMISSIONER KENNETH A. ADAMS

JONATHAN R. HART, COUNTY ATTORNEY

CHATHAM COUNTY, GEORGIA

DOCUMENT CHECK LIST

The following documents, when marked, are contained in and made a part of this Bid Package or are required to be submitted with the bid. It is the responsibility of the bidder to read, complete and sign, where indicated, and return these documents with his/her bid. **FAILURE TO DO SO MAY BE CAUSE FOR DISQUALIFYING THE BID.**

GENERAL INFORMATION AND INSTRUCTIONS TO BID WITH ATTACHMENTS

SURETY REQUIREMENTS (a Bid Bond of 5% with this ITB)

PROPOSAL

PLANS/DRAWINGS

BID SCHEDULE

PERFORMANCE BOND – **Required at the time of contract.**

PAYMENT BOND – **Required at the time of contract.**

CONTRACT

LEGAL NOTICE

ATTACHMENTS: A. DRUG FREE WORKPLACE; B. NONDISCRIMINATION STATEMENT; C. DISCLOSURE OF RESPONSIBILITY STATEMENT; D. CONTRACTOR & SUBCONTRACTOR AFFIDAVIT AND AGREEMENT E. BIDDER'S CERTIFICATION REGARDING DEBARMENT, SUSPENSION, INELIGIBILITY AND VOLUNTARY EXCLUSION; F. M/WBE COMPLIANCE REPORT; G. SAVE AFFIDAVIT.

COUNTY TAX CERTIFICATE REQUIREMENT - Contractor must supply a copy of their Tax Certificate from their location in the State of Georgia, as proof of payment of the occupational tax where their office is located.

CURRENT TAX CERTIFICATE NUMBER
CITY _____
COUNTY _____
OTHER _____

The Chatham County Board of Commissioners have established goals to increase participation of minority and woman owned businesses. In order to accurately document participation, businesses submitting bids or proposals are encouraged to report ownership status. A minority or woman owned business is defined as a business with at least 51% ownership by one or more minority/female individuals and whose daily business operations are managed and directed by one (1) or more of the minority/female owners. Please check ownership status as applicable:

African-American _____ Asian American _____ Hispanic _____

Native American or Alaskan Indian _____ Woman _____

In the award of a Competitive Sealed Proposals, minority/female participation may be one of several evaluation criteria used in the award process when specified as such in the Request for Proposal.

RECEIPT IS HEREBY ACKNOWLEDGED OF ADDENDA NUMBER(S) _____

The undersigned bidder certifies that he/she has received the above listed and marked documents and acknowledges that his/her failure to return each, completed and signed as required, may be cause for disqualifying his/her bid.

BY: _____
DATE

SIGNATURE

TITLE: _____

COMPANY: _____

CHATHAM COUNTY, GEORGIA
OFFICE OF THE PURCHASING DIRECTOR
1117 EISENHOWER DRIVE, SUITE C
SAVANNAH, GEORGIA 31406
(912) 790-1623

Date: March 25, 2021

BID NO. 21-0050-6

GENERAL INFORMATION FOR INVITATION FOR BID

This is an invitation to submit a bid to supply Chatham County with construction, equipment, supplies and/or services as indicated herein. Sealed bids will be received at the Office of the Purchasing Agent, at **The Chatham County Citizens Service Center, 1117 Eisenhower Drive, Suite C, Savannah, Georgia 31406 up to 2:00P.M. April 23, 2021.** Purchasing will open bids at the designated time and bidders may listen to the opening via conference call at 1-888-585-9008, conference room code 743-636-882. The County reserves the right to reject all bids that are non-responsive or not responsible.

Instructions for preparation and submission of a bid are contained in this Invitation for Bid package. Please note that specific forms for submission of a bid are required. Bids must be typed or printed in ink.

A **Pre-bid Conference** has been scheduled for **April 15, 2021, at 10:30 A.M.** Participants may attend by calling 1-888-585-9008, conference room code 743-636-882, to discuss the specifications and resolve any questions and/or misunderstanding that may arise. Bidders attending remotely are asked to mute phones when not speaking, in consideration of others. **You are encouraged to attend.**

Direct any questions related to this bid in writing to Ms. Lynn Strickland, Procurement Specialist. Include the bid number, page, and paragraph number as a reference to each question. If you choose to mail your questions, do not place the bid number on the outside of the envelope. ***DEADLINE FOR ALL QUESTIONS IS one week prior to due date.*** All questions shall be delivered by hand, mail, and fax or e-mailed as follows:

Chatham County Purchasing and Contracting
Attn: Lynn Strickland, Procurement Specialist
1117 Eisenhower Drive, Suite C, Savannah, GA 31406
(912) 790-1627 (FAX)
lstrickland@chathamcounty.org

Any changes to the conditions and specifications must be in the form of a written addendum to be valid; therefore, the Purchasing Director will issue a written addendum to document each approved change. Generally, when addenda are required, the bid opening date will be changed.

Chatham County has an equal opportunity purchasing policy. Chatham County seeks to ensure that all segments of the business community have access to supplying the goods and services needed by County programs. The County affirmatively works to encourage utilization of disadvantaged and minority business enterprises in our procurement activities. The County provides equal opportunity for all businesses and does not discriminate against any persons or businesses regardless of race, color, religion, age, sex, national origin or handicap. The terms "disadvantaged business," "minority business enterprise," and "minority person" are more specifically defined and explained in the Chatham County Purchasing Ordinance Part 11 Local, Small, Minority and Woman Owned Business Enterprise Program.

This project IS NOT a Special Purpose Local Option Sales Tax (SPLOST) Project. See paragraph 2.20 for M/WBE participation goals.

**SECTION I
INSTRUCTIONS TO BIDDERS**

1.1 **Purpose:** The purpose of this document is to provide general and specific information for use in submitting a bid to supply Chatham County with equipment, supplies, and/or services as described herein. All bids are governed by the Code of Chatham County, Chapter 4, Article IV, and the laws of the State of Georgia.

1.2 **How to Prepare Bids:** All bids shall be:

- a. Prepared on the forms enclosed herewith, unless otherwise prescribed, and **all documents must be submitted.**
- b. Typewritten or completed with pen and ink, signed by the business owner or authorized representative, with all erasures or corrections initialed and dated by the official signing the bid. **ALL SIGNATURE SPACES MUST BE SIGNED.**

Bidders are encouraged to review carefully all provisions and attachments of this document prior to submission. Each bid constitutes an offer and may not be withdrawn except as provided herein.

1.3 **How to Submit Bids:** All bids shall be:

- a. **One (1) original and one (1) duplicate copy must be submitted in a sealed opaque envelope, plainly marked with the bid number and title, date and time of bid opening, and company name.**
- b. Mailed or delivered as follows in sufficient time to ensure receipt by the Purchasing Director on or before the time and date specified above.

**Chatham County Purchasing and Contracting
Purchasing Director
1117 Eisenhower Drive
Suite C
Savannah, Georgia 31406.**

BIDS NOT RECEIVED BY THE TIME AND DATE SPECIFIED WILL NOT BE OPENED OR CONSIDERED.

1.4 **How to Submit an Objection:** Objections from bidders to this invitation to bid and/or these specifications should be brought to the attention of the County Purchasing Director in the following manner:

- a. When a pre-bid conference is scheduled, bidders shall either present their

oral objections at that time or submit their written objections at least two (2) days prior to the scheduled pre-bid conference.

- b. When a pre-bid conference is not scheduled, the bidder shall submit any objections he may have in writing not less than five (5) days prior to the opening of the bid.
- c. The objections contemplated may pertain to form and/or substance of the invitation to bid documents. Failure to object in accordance with the above procedure will constitute a waiver on the part of the business to protest this invitation to bid.

- 1.5 **Errors in Bids:** Bidders or their authorized representatives are expected to fully inform themselves as to the conditions, requirements, and specifications before submitting bids. Failure to do so will be at the bidder's own risk. In case of error in extension of prices in the bid, the unit price will govern.
- 1.6 **Standards for Acceptance of Bid for Contract Award:** The County reserves the right to reject any or all bids and to waive any irregularities or technicalities in bids received whenever such rejection or waiver is in the best interest of the County. The County reserves the right to reject the bid of a bidder who has previously failed to perform properly or complete on time contracts of a similar nature, or a bid from a bidder whom investigation shows is not in a position to perform the contract.
- 1.7 **Bid Tabulation:** Tabulations for all bids will be posted in the Office of Purchasing and Contracting, 1117 Eisenhower Drive, Suite C, Savannah, Georgia 31406 or can be reviewed on the Purchasing web site 24/48 hours after opening at <http://purchasing.chathamcounty.org>.
- 1.8 **Bidder:** Whenever the term "bidder" is used it shall encompass the "person," "business," "contractor," "supplier," "vendor," or other party submitting a bid or proposal to Chatham County in such capacity before a contract has been entered into between such party and the County.
- 1.9 **Responsible / Responsive Bidder:** *Responsible Bidder* means a person or entity that has the capability in all respects to perform fully and reliably the contract requirements. *Responsive Bidder* means a person or entity that has submitted a bid or proposal that conforms in all material respects to the requirements set forth in the invitation for bids or request for proposals.
- 1.10 **Compliance with Laws:** The bidder and/or contractor shall obtain and maintain all

licenses, permits, liability insurance, workman's compensation insurance and comply with any and all other standards or regulations required by federal, state or County statute, ordinances and rules during the performance of any contract between the contractor and the County. Any such requirement specifically set forth in any contract document between the contractor and the County shall be supplementary to this section and not in substitution thereof.

- 1.11 **Contractor:** Contractor or subcontractor means any person or business having a contract with Chatham County. The Contractor/Vendor of goods, material, equipment or services certifies that they will follow equal employment opportunity practices in connection with the awarded contract as more fully specified in the contract documents.
- 1.12 **Local Preference:** On 27 March 1998, the Board of Commissioners adopted a Local Vendor Preference Ordinance. This Ordinance does not apply to construction contracts. However, contractors are encouraged to apply the same method when awarding bids to local and local M/WBE businesses whenever possible in order to promote growth in Chatham County's economy. **NOTE: Local Preference does not apply to Public Works Construction contracts.**
- 1.13 **Debarred Firms and Pending Litigation:** Any potential proposer/firm listed on the Federal or State of Georgia Excluded Parties Listing (Barred from doing business) **will not** be considered for contract award. Proposers shall **disclose any** record of pending criminal violations (Indictment) and/or convictions, pending lawsuits, etc., and any actions that may be a conflict of interest occurring within the past five (5) years. Any proposer/firm previously defaulting or terminating a contract with the County will not be considered.

** All bidders or proposers are to read and complete the Disclosure of Responsibility Statement enclosed as an Attachment to be returned with response. Failure to do so may result in your solicitation response being rejected as non-responsive.

Bidder acknowledges that in performing contract work for the Board, bidder shall not utilize any firms that have been a party to any of the above actions. If bidder has engaged any firm to work on this contract or project that is later debarred, Bidder shall sever its relationship with that firm with respect to the Board contract.

- 1.14 **Performance Evaluation:** On 11 April 2008, the Chatham County Board of Commissioners approved a change to the County Purchasing Ordinance requiring Contractor/Consultant Performance Evaluations, at a minimum, annually, prior to contract anniversary date. Should Contractor/Consultant performance be unsatisfactory, the appointed County Project Manager for the contract may prepare a Contractor/Consultant Complaint Form or a Performance Evaluation to the County Purchasing Agent.
- 1.15 **Payment of Taxes:** No contract shall be awarded unless all real and personal property taxes have been paid by the successful contractor and/or subcontractors as adopted by the

Board of Commissioners on 8 April 1994.

- 1.16 **Immigration:** On 1 July 2008, the Georgia Security and Immigration Compliance Act (SB 529, Section 2) became effective. Contractors and subcontractors entering into a contract or performing work must sign an affidavit that he/she has used the E-Verify System. E-Verify is a no-cost federal employment verification system to insure employment eligibility. Affidavits are enclosed in this solicitation. You may download M-274 Handbook for Employers at. You may go to <http://www.uscis.gov> to find the E-Verify information.

Protection of Resident Workers: Chatham County Board of Commissioners actively supports the Immigration and Nationality Act (IN) which includes provisions addressing employment eligibility, employment verification, and nondiscrimination. Under the IN, employers may hire only persons who may legally work in the United States (i.e., citizens and nationals of the U.S.) and aliens authorized to work in the U.S. The employer must verify the identity and employment eligibility of anyone to be hired, which includes completing the Employment Eligibility Verification Form (I-9). The Contractor shall establish appropriate procedures and controls so no services or products under the Contract Documents will be performed or manufactured by any worker who is not legally eligible to perform such services or employment.

- 1.17 **Surcharge:** Unless otherwise stated in this bid, all prices quoted by the contractor/vendor must be F.O.B. Chatham County, Savannah, GA. with all delivery handling, surcharges, and other charges included in the bid price. Failure to do so may cause rejection of the bid. The County will not pay additional surcharges.

SECTION II GENERAL TERMS, CONDITIONS AND EXCEPTIONS

- 2.1 **Specifications:** Any obvious error or omission in specifications shall not inure to the benefit of the bidder but shall put the bidder on notice to inquire of or identify the same from the County. Whenever herein mentioned is made of any article, material or workmanship to be in accordance with laws, ordinances, building codes, underwriter's codes, ASTM regulations or similar expressions, the requirements of these laws, ordinances, etc., shall be construed to be the minimum requirements of these specifications.
- 2.2 **Multiple Bids:** No vendor will be allowed to submit more than one (1) bid. Any alternate proposals must be brought to the Purchasing Agent's attention during the Pre-bid Conference or submitted in writing at least five (5) days preceding the bid opening date.
- 2.3 **Prices to be Firm:** Bidder warrants that bid prices, terms and conditions quoted in his bid will be firm for acceptance for a period of sixty (60) days from bid opening date, unless otherwise stated in the bid.
- 2.4 **Completeness:** All information required by Invitation for Bids/Proposals must be

completed and submitted to constitute a proper bid or proposal.

- 2.5 **Quality:** All materials, or supplies used for the construction necessary to comply with this proposal shall be of the best quality, and of the highest standard of workmanship. Workmanship employed in any construction, repair, or installation required by this proposal shall be of the highest quality and meet recognized standards within the respective trades, crafts and of the skills employed.
- 2.6 **Guarantee:** Unless otherwise specified by the County, the bidder shall unconditionally guarantee the materials and workmanship on all material and/or services. If, within the guarantee period, any defects occur which are due to faulty material and or services, the contractor at his expense, shall repair or adjust the condition, or replace the material and/or services to the complete satisfaction of the County. These repairs, replacements or adjustments shall be made only at such time as will be designated by the County as being least detrimental to the operation of County business.
- 2.7 **Liability Provisions:** Where bidders are required to enter or go onto Chatham County property to take measurements or gather other information in order to prepare the bid or proposal as requested by the County, the bidder shall be liable for any injury, damage or loss occasioned by negligence of the bidder, his agent, or any person the bidder has designated to prepare the bid and shall indemnify and hold harmless Chatham County from any liability arising therefrom. The contract document specifies the liability provisions required of the successful bidder in order to be awarded a contract with Chatham County.
- 2.8 **Cancellation of Contract:** The contract may be canceled or suspended by Chatham County in whole or in part by written notice of default to the Contractor upon non-performance or violation of contract terms. An award may be made to the next low bidder, for articles and/or services specified or they may be purchased on the open market and the defaulting Contractor (or his surety) shall be liable to Chatham County for costs to the County in excess of the defaulted contract prices. See the contract documents for complete requirements.
- 2.9 **Patent Indemnity:** Except as otherwise provided, the successful bidder agrees to indemnify Chatham County and its officers, agents and employees against liability, including costs and expenses for infringement upon any letters patent of the United States arising out of the performance of this Contract or out of the use or disposal for the account of the County of supplies furnished or construction work performed hereunder.
- 2.10 **Certification of Independent Price Determination:** By submission of this bid, the bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, that in connection with this procurement:
- (1) The prices in this bid have been arrived at independently, without consultation, communication, or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor;

- (2) Unless otherwise required by law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly to any other bidder or to any competitor; and
 - (3) No attempt has been made or will be made by the bidder to induce any other person or firm to submit or not submit a bid for the purpose or restricting competition.
- 2.11 **Award of Contract:** The contract, if awarded, will be awarded to that responsible bidder whose bid/proposal will be most advantageous to Chatham County, price and other factors considered. The Board of Commissioners will make the find.
- 2.12 **Procurement Protests:** Objections and protests to any portion of the procurement process or actions of the County staff may be filed with the Purchasing Agent for review and resolution. The Chatham County Purchasing Ordinance, Part 9 - Vendor Disputes.
- 2.13 **Qualification of Business (Responsible Bidder or Proposer):** A responsible bidder or proposer is defined as one who meets, or by the date of the bid acceptance can meet all requirements for licensing, insurance, and registrations.

Chatham County has the right to disqualify the bid or proposal of any bidder or proposer as being unresponsive or irresponsible whenever such bidder/proposer cannot document the ability to deliver the requested product.

- 2.14 **Chatham County Tax Certificate Requirement:** A current Chatham County Tax Certificate is required of the successful bidder unless otherwise specified. Please contact the Building Safety and Regulatory Services at (912) 201-4300 for additional information.

NOTE: No contract shall be awarded unless all real and personal property taxes have been paid by the successful contractor and/or subcontractors as adopted by the Board of Commissioners on 8 April 1994.

- 2.15 **Insurance Provisions, General:** The selected contractor shall be required to procure and maintain for the duration of the contract insurance against claims for injuries to persons or damages to property which may arise from or in connection with the performance of the work hereunder by the Contractor, his agents, representatives, employees or subcontractors. The cost of such insurance shall be included in the Bid.

It is every contractor's responsibility to provide the County Purchasing and Contracting Division current and up-to-date Certificates of Insurance for multiple year contracts before the end of each term. Failure to do so may be cause for termination of contract.

2.15.1 General Information that shall appear on a Certificate of Insurance:

- Name of the Producer (Contractor's insurance Broker/Agent). Companies affording coverage (there may be several).
- Name and Address of the Insured (this should be the Company or Parent of the firm Chatham County is contracting with).
- A Summary of all current insurance for the insured (includes effective dates of coverage).
- A brief description of the operations to be performed, the specific job to be performed, or contract number.
- Certificate Holder (This is to always include Chatham County).

Chatham County as an Additional Insured: Chatham County invokes the defense of sovereign immunity. In order not to jeopardize the use of this defense, the County **is not** to be included as an Additional Insured on insurance contracts.

2.15.2 **Minimum Limits of Insurance** to be maintained for the duration of the contract:

- a. **Commercial General Liability:** Provides protection against bodily injury and property damage claims arising from operations of a Contractor or Tenant. This policy coverage includes: premises and operations, use of independent contractors, products/completed operations, personal injury, contractual, broad form property damage, and underground, explosion and collapse hazards. Minimum limits: \$1,000,000 bodily injury and property damage per occurrence and annual aggregate.
- b. **Worker's Compensation and Employer's Liability:** Provides statutory protection against bodily injury, sickness or disease sustained by employees of the Contractor while performing within the scope of their duties. Employer's Liability coverage is usually included in Worker's Compensation policies, and insures common law claims of injured employees made in lieu of or in addition to a Worker's Compensation claim. Minimum limits: \$500,000 for each accident, disease policy limit, disease each employee and Statutory Worker's Compensation limit.
- c. **Business Automobile Liability:** Coverage insures against liability claims arising out of the Contractor's use of automobiles. Minimum limit: \$1,000,000 combined single limit per accident for bodily injury and property damage. Coverage should be written on an Any Auto basis.

2.15.3 Special Requirements:

- a. **Claims-Made Coverage:** The limits of liability shall remain the same as the occurrence basis, however, the Retroactive date shall be prior to the coincident with the date of any contract, and the Certificate of Insurance shall state the coverage is claims-made. The Retroactive date shall also be specifically stated on the Certificate of Insurance.
- b. **Extended Reporting Periods:** The Contractor shall provide the County with a notice of the election to initiate any Supplemental Extended Reporting Period and the reason(s) for invoking this option.
- c. **Reporting Provisions:** Any failure to comply with reporting provisions of the policies shall not affect coverage provided in relation to this request.
- d. **Cancellation:** Each insurance policy that applies to this request shall be endorsed to state that it shall not be suspended, voided, or canceled, except after thirty (30) days prior to written notice by certified mail, return receipt requested, has been given to the County.
- e. **Proof of Insurance:** Chatham County shall be furnished with certificates of insurance and with original endorsements affecting coverage required by this request. The certificates and endorsements are to be signed by a person authorized by the insurer to bind coverage on its behalf. All certificates of insurance are to be submitted prior to, and approved by, the County before services are rendered. The Contractor must ensure Certificate of Insurance is updated for the entire term of the Contract.
- f. **Insurer Acceptability:** Insurance is to be placed with an insurer having an A.M. Best's rating of A and a five (5) year average financial rating of not less than V. If an insurer does not qualify for averaging on a five year basis, the current total Best's rating will be used to evaluate insurer acceptability.
- g. **Lapse in Coverage:** A lapse in coverage shall constitute grounds for contract termination by the Chatham County Board of Commissioners.
- h. **Deductibles and Self-Insured Retention:** Any deductibles or self-insured retention must be declared to, and approved by, the County. At the option of the County, either: the insurer shall reduce or eliminate such deductibles or self-insured retention as related to the County, its officials, officers, employees, and volunteers; or the Contractor shall procure a bond guaranteeing payment of related suits, losses, claims, and related investigation, claim administration and defense expenses.

- 2.16 **Compliance with Specification - Terms and Conditions:** The Invitation to Bid, Legal Advertisement, General Conditions and Instructions to Bidders, Specifications, Special Conditions, Vendor's Bid, Addendum, and/or any other pertinent documents form a part of the bidders proposal or bid and by reference are made a part hereof.
- 2.17 **Signed Bid Considered Offer:** The signed bid shall be considered an offer on the part of the bidder, which offer shall be deemed accepted upon approval by the Chatham County Board of Commissioners, Purchasing Director or her designee. In case of a default on the part of the bidder after such acceptance, Chatham County may take such action as it deems appropriate, including legal action for damages or lack of required performance.
- 2.18 **Notice to Proceed:** The successful bidder or proposer shall not commence work under this Invitation to Bid until a written contract is awarded and a Notice to Proceed is issued by the Purchasing Director or her designee. If the successful bidder does commence any work or deliver items prior to receiving official notification, he does so at his own risk.
- 2.19 **Payment to Contractors:** Instructions for invoicing the County for products delivered to the County are specified in the contract document.
- a. Questions regarding payment may be directed to the Finance Department at (912) 652-7900 or the County's Project Manager as specified in the contract documents.
 - b. Contractors will be paid the agreed upon compensation upon satisfactory delivery of the products or completion of the work as more fully described in the contract document.
 - c. Upon completion of the work or delivery of the products, the Contractor will provide the County with an affidavit certifying all suppliers, persons or businesses employed by the Contractor for the work performed for the County have been paid in full.
 - d. Chatham County is a tax exempt entity. Every contractor, vendor, business or person under contract with Chatham County is required by Georgia law to pay State sales or use taxes for products purchased in Georgia or transported into Georgia and sold to Chatham County by contract. Please consult the State of Georgia, Department of Revenue, Sales and Use Tax Unit in Atlanta (404) 656-4065 for additional information.
- 2.20 The Chatham County Board of Commissioners has adopted an aggressive program that establishes goals for minority/woman, small and disadvantaged business participation in construction, professional services, and general procurement.

- a. The Chatham County Board of Commissioners under Georgia law may reject any bid as non-responsive if they feel a bidder did not exercise Good Faith Effort in obtaining the goal established for M/WBE participation.
- b. The Chatham County Board of Commissioners adopted a policy establishing goals oriented to increase participation of minority and female owned businesses, through M/WBE certification and development. In order to accurately document participation, businesses submitting bids, quotes or proposals are encouraged to report ownership status. A bidder or vendor that is certified by any agency of the Federal Government or State of Georgia may submit a copy of their certification with their bid as proof of qualifications. Bidders that intend to engage in joint ventures or utilize subcontractors must submit to the County Contracts Administrator, a report on Minority/Female Business Enterprise participation.

Goals established for this project is 12% MBE/ 5% WBE.

- c. A Minority/Female Business Enterprise (M/WBE) is a business concern that is at least 51% owned by one or more minority/female individuals and whose daily business operations are managed and directed by one (1) or more of the minority/female owners.

2.21 Bidders or proposers are required to make a **Good Faith Effort**, where subcontracting is to be utilized in performing the contract, to subcontract with or purchase supplies from qualified M/WBE's. Bidders or proposers are required to state if they intend to subcontract any part of the work. Goals will be established for each contract at the onset. **Forms** requiring the signatures of bidders or proposers are enclosed as **Attachments** and must be completed and returned with your bid response. If forms are not completed and submitted, the bid may be considered nonresponsive.

Each bidder or proposer is required to maintain records of such efforts in detail adequate to permit a determination of compliance with these requirements. All contracts will reflect **Good Faith Efforts** and reporting requirements for the term of the contract. The County particularly urges general contractors to give emphasis to subcontracting with local area firms.

For information on the program or M/WBE contractors/vendors please contact Connell Heyward, Chatham County Minority and Women Business Coordinator, 1117 Eisenhower Drive, Suite 101, Savannah, Georgia 31406, (912) 652-7828 phone.

2.22 **GEORGIA OPEN RECORDS ACT** - The responses will become part of the County's official files without any obligation on the County's part. Ownership of all data, materials and documentation prepared for and submitted to Chatham County in response to a solicitation, regardless of type, shall belong exclusively to Chatham County and will be

considered a record prepared and maintained or received in the course of operations of a public office or agency and subject to public inspection in accordance with the Georgia Open Records Act, Official Code of Georgia Annotated, Section 50-18-70, et. Seq., unless otherwise provided by law.

Responses to RFP's shall be held confidential from all parties other than the County until after the contract is awarded by the Board of Commissioners. The vendor and their bid price in response to the ITB will be read aloud at public bid openings. After Bid Tabulations, the ITB shall be available for public viewing.

Chatham County shall not be held accountable if material from responses is obtained without the written consent of the vendor by parties other than the County, at any time during the solicitation evaluation process.

- 2.23 **GEORGIA TRADE SECRET ACT of 1990** - In the event a Bidder/Proposer submits trade secret information to the County, the information must be clearly labeled as a Trade Secret. The County will maintain the confidentiality of such trade secrets to the extent provided by law.
- 2.24 **CONTRACTOR RECORDS** -The Georgia Open Records Act is applicable to the records of all contractors and subcontractors under contract with the County. This applies to those specific contracts currently in effect and those which have been completed or closed for up to three (3) years following completion. Again, this is contract specific to the County contracts only.
- 2.25 **EXCEPTIONS**-All proceedings, records, contracts and other public records relating to procurement transactions shall be open to the inspection of any citizen, or any interested person, firm or corporation, in accordance with the Georgia Open Records Act except as provided below:
- a. Cost estimates relating to a proposed procurement transaction prepared by or for a public body shall not be open to public inspection.
 - b. Any competitive sealed bidding bidder, upon request, shall be afforded the opportunity to inspect bid records within a reasonable time after the opening of all bids but prior to award, except in the event that the County decides not to accept any of the bids and to rebid the contract. Otherwise, bid records shall be open to public inspection only after award of the contract. Any competitive negotiation offer or, upon request, shall be afforded the opportunity to inspect proposal records within a reasonable time after the evaluation and negotiations of proposals are completed but prior to award except in the event that the County decides not to accept any of the proposals and to reopen the contract. Otherwise, proposal records shall be open to the public inspection only after award of the contract except

as provided in paragraph "c" below. Any inspection of procurement transaction records under this section shall be subject to reasonable restrictions to ensure the security and integrity of the records.

- c. Trade secrets or proprietary information submitted by a bidder, offer or contractor in connection with a procurement transaction shall not be subject to public disclosure under the Georgia Open Records Act; however, the bidder, offer or contractor must invoke the protections of this section prior to or upon submission of the data or other materials, and must identify the data or other materials to be protected and state the reasons why protection is necessary.
- d. Nothing contained in this section shall be construed to require the County, when procuring by "competitive negotiation" (Request for Proposal), to furnish a statement of the reasons why a particular proposal was not deemed to be the most advantageous to the County.

SECTION III ADDITIONAL CONDITIONS

3.1 AUDITS AND INSPECTIONS:

At any time during normal business hours and as often as the County may deem necessary, the Contractor and his subcontractors shall make available to the County and/or representatives of the Chatham County Department of Internal Audit for examination all of its records with respect to all matters covered by this Contract. It shall also permit the County and/or representatives of the Department of Internal Audit to audit, inspect, examine and make copies, excerpts or transcripts from such records of personnel, conditions of employment and other data relating to all matters covered by this Contract. All documents to be audited shall be available for inspection at all reasonable times in the main offices of the County or at the offices of the Contractor as requested by the County.

3.2 WARRANTY REQUIREMENTS:

- a. Provisions of item 2.7 apply.
- b. Warranty required.
 - 1. Standard warranty shall be offered with bid.
 - X 2. Extended warranty shall be offered with bid. The cost of the extended warranty will be listed separately on the bid sheet.

3.3 TERMS OF CONTRACT: (check where applicable):

- a. Annual Contract (With renewal options for four (4) additional one (1) year terms if all parties agree)
- X b. One-time Purchase
- c. Other **ONE TIME CONTRACT**

CONVERSATIONS OR CORRESPONDENCE REGARDING THIS SOLICITATION OR REPORT BETWEEN PROSPECTIVE OFFERORS AND PERSONS OUTSIDE THE CHATHAM COUNTY PURCHASING OFFICE WILL NOT BE CONSIDERED OFFICIAL OR BINDING UNLESS OTHERWISE SPECIFICALLY AUTHORIZED WITHIN THIS DOCUMENT.

The undersigned bidder or proposer certifies that he/she has carefully read the preceding list of instructions to bidders and all other data applicable hereto and made a part of this invitation; and, further certifies that the prices shown in his/her bid/proposal are in accordance with all documents contained in this Invitation for Bids/ Proposals package, and that any exception taken thereto may disqualify his/her bid/proposal.

This is to certify that I, the undersigned bidder, have read the instructions to bidder and agree to be bound by the provisions of the same.

This _____ day of _____ 20 ____.

BY _____

SIGNATURE

TITLE

COMPANY

Phone / Fax No

SECTION IV

SPECIFICATIONS FOR

BID NO. 21-0050-6

PURCHASE OF NEW DUMP TRUCKS FOR CHATHAM COUNTY FLEET

4.1 GENERAL SPECIFICATIONS:

The purpose of these specifications is to describe the requirements for the purchase of new dump trucks for Chatham County Fleet. Pictured literature and manufacturer specifications are to be provided establishing the fact that the equipment meets or exceeds these standards. The specifications herein shall be construed as the minimum acceptable standards. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the equipment offered for bid shall include all standard manufacturer's equipment.

Bidder must have dealer within Chatham County for service and parts. 36 month /3000 hrs. maintenance and whole unit warranty on-site which should have travel time and deductible included. The units, as specified shall be completely assembled, mounted, and adjusted with all equipment installed and ready for continuous operation upon delivery to Chatham County. A one (1) day training of operators will be scheduled upon delivery of equipment at County's leisure.

Bid award will be based on the lowest unit price and may be contingent on delivery. All equipment will be new and never titled. No bids from brokers or re-sellers will be considered. Project Manager will be Calvin Turner in the Chatham County Fleet Department. For additional information concerning specifications, please contact Mrs. Lynn Strickland, Procurement Specialist, at (912) 790-1621 or lstrickland@chathamcounty.org. Bidders are not to contact any department directly.

4.2 DETAILED SPECIFICATIONS FOR NEW DUMP TRUCK:

If meeting or exceeding specifications check **YES**, and if exceptions are taken check **NO**. Any exceptions must be detailed on a separate itemized sheet with bid. Specifications associated with exceptions must also be submitted to include pictured literature and the manufacturer specifications.

THE FOLLOWING ARE MINIMUM SPECIFICATIONS THAT WILL BE REQUIRED

	CHASSIS SPECIFICATIONS:	YES	NO
4.2.1	Regular conventional cab with 30/70 front seat, driver's seat air ride suspension, passenger (2) person non suspension. Vinyl.		
4.2.2	Multi-piece hood allowing fenders to be replaced, independent of hood		
4.2.3	Top of cowl at the base of the windshield, shall be fitted with a removable cover, so as not to interfere with a removable cover, so as not to interfere with windshield wipers, and keep debris from accumulating in the cowl tray		
4.2.4	Electrical wipers with intermittent speeds and washer, wipers shall automatically go to slowest intermittent speed when the parking brake is set and wipers left on for a predetermined time.		
4.2.5	Full instrumentation to include tachometer, speedometer, oil pressure, coolant temperature, voltmeter, fuel gauge, and dual air pressure gauges.		
4.2.6	Bright white, backlit cab switches shall be laser etched for long life readability, with "text" on top, and ISO symbol on bottom of switch. The color of the integrated warning lights on the switches shall be programmable as; Green for "ON", Slow Flash "Yellow" to indicate an interlock has not been met, and flash "RED" to indicate system failure		
4.2.7	Vehicle shall be equipped with Manual reset circuit breakers on all circuits over 5 AMPS where possible, except headlight and wiper motor circuits, which shall be protected using continuous reset circuit breakers to allow continued operation during momentary overload for trouble shooting convenience and circuit protection		
4.2.8	Electrical Fuse/Circuit Breaker Panel (NO TOOLS NEEDED FOR ACCESS) shall be located inside the cab to prevent exposure to corrosive elements.		
4.2.9	The vehicle shall have an exterior light test system to aid driver with Pre-trip inspections. Engaging light inspections switch will sequentially flash all exterior vehicle lights, except back up lights while operator completes safety inspection.		
4.2.10	Dual Aero pedestal type mirrors 6.5" x 14" flat glass including 6.5" x 6" convex both sides for 102" load width, breakaway type, power both sides, heated, with convex both sides, hood mounted convex mirrors, left and right side, 7.5" sq.		
4.2.11	Air conditioning and heater with HVAC fresh air filter		
4.2.12	HVAC controls will have a MAX Defrost Mode. When activated, the blower settings will go to full hot maximum quick defrost allowing operator to get vehicle on the road quickly.		
4.2.13	AM/FM/Weatherband/Bluetooth/USB Input/3MM Auxiliary Input/with multiple speakers stereo		
4.2.14	Radio controls on steering wheel must be bright white, backlight Audio control switches for speaker volume/mute control/Bluetooth radio shall be incorporated into the steering wheel, allowing driver to easily answer and end phone calls		

	CHASSIS SPECIFICATIONS:	YES	NO
4.2.15	Cruise control switches on steering wheel shall be mounted on the steering wheel, similar to automotive designs to keep driver's eyes on the road, and hands on the wheel		
4.2.16	Fuel tank top draw, aluminum, 120 gallons, mounted left side under cab		
4.2.17	DEF TANK 9.5 US Gal (36L) capacity, Frame Mounted Outside Left Rail, Under Cab		
4.2.18	STEERING system shall include dual power gears, to provide maximum torque to steering arms. A single gear and slave cylinder is not acceptable with tilt and telescoping 2-SPOKE 18" steering wheel		
4.2.19	ENGINE, DIESEL, Cummins 19 360 360 HP @2000 RPM, 1150 lb.-ft. torque @ 1200 RPM. EPA 2021 With 3 stage Jake brake. Chassis brake lights will be turned on when the engine compression brake, exhaust brake or retarder is activated, to alert following drivers that the vehicle is slowing down		
4.2.20	EXTERNAL ENGINE REGEN WARNING: to alert work crews outside of cab that an engine regeneration is required, a warning system shall be installed that causes the low beam headlights to flash and sound the electric horn in addition to the dash warnings. Warning system shall be interlocked to operate only when the parking brake is on.		
4.2.21	EXHAUST: frame mounted vertical exhaust stack required to minimize noise and vibration from being transferred to the cab structure. Cab Mounted Exhaust will not be accepted.		
4.2.22	Transmission AUTOMATIC, Allison 3000 RDS 6 speed, close ratio with double overdrive with PTO, includes oil level sensor. Allison transmission electronic control module shall be relocated to inside the cab and up off the floor to minimize exposure to corrosive elements.		
4.2.23	Transmission must have synthetic oil.		
4.2.24	Transmission shift controls shall be a stalk type mounted on the right side of the steering column for use with Allison 3000. The multi-mode design of the shift stalk will allow control of all transmission, and engine brake functions if so equipped, including gear selection, engine brake mode, and manual gear selection. NO FLOOR mounted shift tower or instrument panel must be kept clear for body mounted equipment controls.		
4.2.25	Brakes: air brakes with automatic slack adjusters, AD-9 or equal air dryer. 18.7 CFM air compressor. Vehicle shall be equipped with an alarm system to warn the operator when leaving the vehicle the park brake has not been set, The parking brake alarm will sound the electric horn in a repetitive manner when vehicle's park brake is "NOT" set, with ignition "OFF" and door is open.		
4.2.26	Slack adjusters front and rear (automatic)		
4.2.27	Rear service and parking brake chambers shall be of a sealed type with electrostatic coated head for improved corrosion protection. Bendix "Endurance-Pro" is preferred		

	CHASSIS SPECIFICATIONS:	YES	NO
4.2.28	ELECTRICAL SYSTEM 12-volt 160-amp alternator with remote voltage sensor capability to monitor battery charge and adjust alternator output accordingly, (2) 12-volt batteries 1850 CCA with jump start stud and disconnect switch in the cab with lockable provision, battery terminals are to be sealed to protect against corrosive elements		
4.2.29	Daytime running lights will be provided to enhance visibility of the vehicle to oncoming traffic		
4.2.30	Headlights (low beam) and the tail lights will automatically turn on with activation of the windshield wiper switch, to provide increased visibility during inclement weather		
4.2.31	LED front turn signals and cab marker lights required for longevity		
4.2.32	Additional front dual facing (front and back) L.E.D. turn signal lights shall be mounted on the top of the front fender for improved vehicle visibility at night or during inclement weather. (Amber/Amber or Amber/Red)		
4.2.33	FRAME: 120,000 Psi yield strength, with frame reinforcement outer "C" channel, integrated tow loop, swept back front bumper with swing type front license plate, shall be a continuous straight structural channel to simplify frame straightening in the event of a front end collision, a Splayed Front frame rail shall not be acceptable		
4.2.34	FRAME rails shall be treated with phosphate free Tectalis 1800 pretreatment followed by a two stage electrostatically applied corrosion resistant primer coating and a top powder coating to minimize corrosion		
4.2.35	FRAME: frame assembly shall be huck bolted in lieu of threaded bolts where possible, to minimize frame bolt re-torque service		
4.2.36	FRONT AXLE 18,000 LBS CAPACITY WITH parabolic taper leaf suspension with shock absorbers, wide track front axle with king pin centers greater than 71" shall be provided for improved turn angle and maneuverability		
4.2.37	Auxiliary front rubber springs required for greater stability with high center of gravity loads and prevent spring damage in the event of temporary overload conditions		
4.2.38	REAR AXLE 46,000 lbs. capacity, driver controlled locking differential in forward and rear axles, with 46,000 lbs. Hendrickson HMX suspension with 54" spacing		
4.2.39	Driver controlled locking main differential. The rear axle must be equipped with a safety feature, which shall automatically disengage the locking differential at a speed of approximately 20 MPH		
4.2.40	CAB regular with rear suspension air ride, power windows and locks, includes express down feature. WHITE IN COLOR, headlights (low beam) and tail lights will automatically turn on with the activation of the windshield wiper switch, to provide increased visibility during inclement weather		
4.2.41	The cab doors will automatically lock when the vehicle speed exceeds 15 MPH for added operator protection		

	CHASSIS SPECIFICATIONS:	YES	NO
4.2.42	Cab shall be equipped with overhead storage console pockets on both driver and passenger sides with retainer nets or doors to secure them		
4.2.43	High visibility (YELLOW) grab handles will be mounted inside cab to aid in cab entry/ egress during nighttime or limited visibility operation		
4.2.44	Air ride cab suspension required to isolate cab and operators from harsh road conditions		
4.2.45	Cab and chassis electrical and air lines shall be color coded and continually numbered so technicians can easily identify and troubleshoot as necessary		
4.2.46	The seat belt webbing at each crew member location shall be a highly visible bright orange or red in color		
4.2.47	Interior cab height from highest position on cab floor to roof interior shall measure not less than 52"		
4.2.48	Width of CAB interior shall measure not less than 72" at hip level to provide adequate room for 3-man seating		
4.2.49	CAB height from Floor to roof measured at the "B" pillar shall be a minimum of 56" to ensure adequate head room, and air suspension seat travel for a variety of drivers		
4.2.50	All pedals including throttle, clutch, and brake shall be suspended rather than floor mounted to reduce the potential for material or loose items gathering underneath the pedal that may impede its operation, and to minimize corrosion penetration in the cab floor		
4.2.51	Measurement from the center of fuel pedal to back of cab wall shall be not less than 46.5 inches, to provide comfortable leg room		
4.2.52	One piece windshield with a surface area of not less than 1900 sq. inches, required for improved jobsite visibility		
4.2.53	Windshield wiper swept surface area shall be not less than 1000 sq. in for optimum visibility during inclement weather		
4.2.54	In dash low windshield washer fluid indicator required for driver convenience during frequent operation in inclement weather		
4.2.55	WHEELS, RIMS AND TIRES: wheels steel disc 22.5 x 12.25 rims, 10stud hub-piloted rear dual disc. 22.5 x 8.25 10 stud hub-piloted front tire (2) 385/65R22.5 20 ply with highway tread rear tire (8) 11R22.5 traction lug 16 ply		

	CHASSIS SPECIFICATIONS:	YES	NO
4.2.56	Sunshade exterior painted cab color to include L.E.D. Integral clearance/Marker lights for improved vehicle visibility at night or during inclement weather.		

	DUMP BODY SPECIFICATIONS:	YES	NO
4.2.57	Type: Godwin 500TR or Equal		
4.2.58	Length: 16'		
4.2.59	Width: 84" Inside Dimension		
4.2.60	Side Height: 42"		
4.2.61	Front Height: 50"		
4.2.62	Tailgate Height: 50"		
4.2.63	Yard Capacity: 14.52 Yard Water Level		
4.2.64	Floor: 3/16" One Piece AR450 Steel with 2" Side to Floor Radius		
4.2.65	Front Head: 10 Ga. A807 Grade 50. Hi-Tensile Steel		
4.2.66	Sides: 10 Ga. A807 Grade 50. Hi-Tensile Steel		
4.2.67	Sides: One Piece with No Welded Seams		
4.2.68	Sides: 6 Vertical Side Braces		
4.2.69	Sides: Sides to Have 8" Board Pockets		
4.2.70	Sides: Tarp Rail Both Sides		
4.2.71	Side Boards: 8" Steel Minimum 12 GA		
4.2.72	Rear Post: 10 GA Hi-Tensile Steel		
4.2.73	Construction: Continuous Welded Body Shell & Tailgate		
4.2.74	Understructure: Stacked Channel Cross-members on 12" Center		
4.2.75	Understructure: 7" Structural Channel Long-members		
4.2.76	Understructure: 4" Structural Channel Cross-members		
4.2.77	Understructure: Forged Steel Gussets – Every		
4.2.78	Understructure: Cross-member		

	DUMP BODY SPECIFICATIONS:	YES	NO
4.2.79	Tailgate: 2 - Way Straight		
4.2.80	Tailgate: 10 Ga. A607 Grade 50Hi-Tensile Steel		
4.2.81	Tailgate: 9 Panel		
4.2.82	Tailgate: Air Release with Switch in Cab		
4.2.83	Tailgate: Spreader Chains - 3/8"		
4.2.84	Tailgate: Forged Banjo Eyes		
4.2.85	Tailgate: All Removable Pins Have Lanyard to Body		
4.2.86	Tailgate: Tailgate Handle to be away from Body		
4.2.87	Spreader Apron: HD Push Style		
4.2.88	Cab Shield: 24" x 84", 10 Ga. Hi-Tensile		
4.2.89	Cab Shield: Cab Shield to Have Two Recessed and Grommetted Marker Lights		
4.2.90	Paint: Body to be Omaha Orange		
4.2.91	Paint: Zinc Epoxy Primer		
4.2.92	Lights: FMVSS#108 Lighting Package		
4.2.93	Lights: LED Light Package		
4.2.94	Lights: S/T/T to be covered in #9 Exp Metal		
4.2.95	Hoist: G74135T Front Mount Telescopic or Equal		
4.2.96	Hoist: 7" Diameter Cylinder		
4.2.97	Hoist: 4 Stage Cylinder		
4.2.98	Hoist: 135" Stroke		
4.2.99	Body Prop: Two		
4.2.100	Back-Up Alarm: 97 dba, Electric Audible		
4.2.101	Pump: Cast Iron Re-buildable		
4.2.102	Pump: 2000psi Operating Pressure		
4.2.103	Pump: 7/8" Splined shaft		
4.2.104	Pump: 3 position spool valve		
4.2.105	Pump: Air Shaft		

	DUMP BODY SPECIFICATIONS:	YES	NO
4.2.106	Pump: Console Control Tower		
4.2.107	PTO: Direct Mount, Hot Shift		
4.2.108	Tarp: Direct Drive Electric tarp Assembly		
4.2.109	Tarp: Motor Cover		
4.2.110	Tarp: Aluminum Tarp Arms		
4.2.111	Tarp: Spiral Torsion Type Side Mounted Springs		
4.2.112	Tarp: Heavy Duty Mesh tarp		
4.2.113	Bed Liner: ½" Quick Sliver Virgin UHMW-PE		
4.2.114	Bed Liner: 12' Wide		

4.3 DETAILED SPECIFICATIONS FOR NEW CREW CAB FLATBED DUMP TRUCK:

If meeting or exceeding specifications check **YES**, and if exceptions are taken check **NO**. Any exceptions must be detailed on a separate itemized sheet with bid. Specifications associated with exceptions must also be submitted to include pictured literature and the manufacturer specifications.

THE FOLLOWING ARE MINIMUM SPECIFICATIONS THAT WILL BE REQUIRED

	CREW CAB SPECIFICATIONS:	YES	NO
4.3.1	GVWR 26,000 LBS MINIMUM		
4.3.2	Frame: High strength low alloy steel (80,000 PSE yield);10.250"X2.092"X0.375" Frame assemble shall be huck bolted in lieu of threaded bolts where possible, to minimize frame bolt re-torque service		
4.3.3	Frame: Must provide a minimum 4" front bumper extension to help protect fenders and grill from minor impact damage		
4.3.4	Frame: Shall be treated with phosphate free tectalis 1800 pretreatment followed by a two stage electrostatically applied corrosion resistant primer coating and top powder coating to minimize corrosion		
4.3.5	Frame: Two stage corrosion resistant primer coating for fame rails to minimize corrosion from harmful de-icing compounds		
4.3.6	Frame: (2) front tow hooks, frame mounted		
4.3.7	Frame: License plate holder, includes upper and lower mounting plate hardware, mounted in existing holes in front bumper		
4.3.8	Frame: Front bumper full width, aerodynamic steel: 0.142 material thickness (powder coated)		

	CREW CAB SPECIFICATIONS:	YES	NO
4.3.9	Front Axle: non-driving I-Beam type 12,000 lb capacity, auxiliary front rubber springs required to provide improved stability with high center of gravity loads or front mounted frame equipment and prevent spring damage in the event of temporary overload conditions		
4.3.10	Front Suspension: spring parabolic, taper leaf, 12,000 lb capacity with shock absorbers		
4.3.11	Brakes: air brakes, with automatic slack adjusters, Bendix AD-9 air dryer, minimum 18.7 CFM rated air compressor required for rapid pressure build up.		
4.3.12	Brakes: Air lines shall be color coded and continually numbered so technicians can easily identify and troubleshoot as necessary.		
4.3.13	Brakes: Vehicle shall be equipped with an alarm system to warn the operator when leaving the vehicle without setting the parking brake. The parking brake alarm will sound the electric horn in a repetitive manner when the vehicle's park brake is "NOT" set, with ignition "OFF" and door is open.		
4.3.14	Cab: crew cab conventional tilt hood type. Front passenger bench seat and rear bench seat, (2) Aero Pedestal, Power Adjust, Heated, Black Heads and Arms, 6.5" x 14 1' Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width. 4 interior grab handles (interior) painted safety yellow. Seat belts all red, air ride cab, air condition/heater factory installed. Exterior Sunshade painted cab color. Multi-piece (3) hood construction, so fenders may be replaced independent of hood		
4.3.15	Cab: Hood mounted mirrors {Lang Mekra} (2) Right and Left Sides, Black 7.5" Sq.		
4.3.16	Cab: exterior grab handles behind front door and rear doors, one behind each door on BOTH SIDES OF TRUCK		
4.3.17	Cab: marker lights shall be relocated from the Cab roof to the exterior cab sun shade for improved vehicle visibility at night or during inclement weather. - stationary grille required to clear front mounted equipment		
4.3.18	Cab: truck cab, hood, and fenders shall be painted with the factory applied paint color, and sealed with a clear coat finish to protect the paint from fading and minor scratches		
4.3.19	Cab: 4-door crew cab with one piece roof cap, 6 passenger seating capacity is required, and shall be OEM factory engineered and assembly line installed		
4.3.20	Cab: air ride cab suspension required to isolate cab and operators from harsh road conditions -width of cab interior at hip level shall measure not less than 70" to provide adequate room for 3 man seating		
4.3.21	Cab: FRONT AND REAR BENCH SEATS		
4.3.22	Cab: operable vent window required to provide readily variable flow of outside air circulation through cab interior		
4.3.23	Cab: interior cab height from highest point on cab floor to roof interior shall measure not less than 55"		

	CREW CAB SPECIFICATIONS:	YES	NO
4.3.24	Cab: shall be equipped with overhead storage console pockets on both driver and passenger side with retainer nets to secure items		
4.3.25	Cab: HVAC controls will have a Max Defrost Mode. When activated, the blower settings will go to a full hot maximum quick defrost allowing operator to get the vehicle on the road quickly		
4.3.26	Cab: All pedals including the throttle, clutch, and brake shall be suspended rather than floor mounted to reduce the potential for material or Goose items gathering underneath the pedal that may impede it operation, and to minimize corrosion penetration in cab floor		
4.3.27	Cab: electrically heated windshield shall be provided to maintain visibility under adverse conditions independently of cab interior temperature		
4.3.28	Cab: windshield wiper swept surface area shall be not less than 1000 sq. in for optimum visibility during inclement weather		
4.3.29	Cab: hood mounted heated convex mirrors shall be supplied on each fender to provide optimum visibility during cold weather -power window and power locks		
4.3.30	Cab: the cab doors will automatically lock when vehicle speed exceeds 15 mph or added operator protection		
4.3.31	Cab: the cab doors will unlock when the parking brake is applied for added operator protection and convenience		
4.3.32	Electrical: 12 volt standard		
4.3.33	Electrical: 160 amp alternator with remote voltage sensor capability to monitor battery charge and adjust alternator output accordingly		
4.3.34	Electrical: Starter shall be controlled by body system controller providing over-crank protection, and electronically releasing once the engine starts to prevent starter or ring gear damage		
4.3.35	Electrical: (2) maintenance-free 1850 CCA		
4.3.36	Electrical: battery box enclosure shall be readily accessible for service/inspection without the use of tools		
4.3.37	Electrical: remote jump start with cab mounted battery disconnect, lock with padlock		
4.3.38	Electrical: (2) cigar type receptacle		
4.3.39	Electrical: AM/FM/weatherband/Bluetooth/USB Input/3MM Auxiliary Input/MP3, Apple Device Play & control, Bluetooth for phone & music, with Multiple speakers		
4.3.40	Electrical: Bright white backlit Audio control switches for Speaker volume/Mute control/Bluetooth radio shall be incorporated into the steering wheel, allowing driver to easily answer and end phone		
4.3.41	Electrical: dash mounted 2.4 AMP USB/Aux port for fast charging of electronics required		

	CREW CAB SPECIFICATIONS:	YES	NO
4.3.42	Electrical: Truck must be wired for electric trailer brakes and trailer controller installed		
4.3.43	Electrical: Electric horn and air horn with controls on the steering wheel		
4.3.44	Electrical: Vehicle shall be equipped with Manual reset circuit breakers on alt circuits over 5 amps where possible, except headlight and wiper motor circuits which shall be protected using continuous reset circuit breakers to allow continued operation during a momentary overload for trouble shooting convenience and circuit protection		
4.3.45	Electrical: windshield wipers shall be automatically forced to slowest intermittent speed when the park brake is set and wipers left on for a predetermined time		
4.3.46	Electrical: the vehicle shall have an exterior light test system to aid driver with pre-trip inspections. Engaging light inspection switch will sequentially flash all exterior vehicle lights, except back up lights while operator completes safety inspections		
4.3.47	Electrical: headlights and taillights will automatically turn on with activation of the windshield wiper switch, to provide increased visibility during inclement weather		
4.3.48	Electrical: cruise control switches shall be mounted on the steering wheel, similar to automotive designs to keep drivers eyes on the road, and hands on the wheel		
4.3.49	Electrical: electrical fuse/circuit breaker panel (no tools needed for access) shall be located inside the cab to prevent exposure to corrosive elements		
4.3.50	Electrical: Headlights (low beam) and tail lights will automatically turn on with activation of the windshield wiper switch, to provide increased visibility during inclement weather		
4.3.51	Engine: Cummins B6.7 250) EPA 2021, 250HP @ 2400 RPM, 660 lb.-ft. Torque @ 1600 RPM, 2600 RPM Governed Speed, 250 Peak HP (Max)		
4.3.52	Engine: engine warranty shall cover unlimited miles for a period of not less than 36 months -include Engine exhaust break		
4.3.53	Engine: chassis brake lights will be turned on when the engine compression brake, exhaust brake, or retarder is activated, to alert following drivers that the vehicle is slowing down		
4.3.54	Transmission: Allison 3500 RDS, 5 th generation controls, 6-speed, with PTO provision		
4.3.55	Transmission: transmission shift controls shall be a stalk type mounted on the right side of the steering column for use with Allison 3000. The multi ^w mode design of the shift stalk will allow control of all transmission, and engine brake functions if so equipped, including gear selection, engine brake mode, and manual gear selection. No floor mounted shift tower or instrument panel mounted shift controls, as floor area and instrument panel must be kept clear for body mounted equipment controls		
4.3.56	Transmission: synthetic oil		
4.3.57	Transmission: Allison transmission will be of a 3 piece case housing design for ease of service		
4.3.58	Transmission: automatic transmission shift control shall be mounted to keep floor area clear for body mounted equipment controls, or 3 man seating. NO floor mounted shift tower		

	CREW CAB SPECIFICATIONS:	YES	YES
4.3.59	Transmission: Allison transmission electronic control module shall be relocated to inside the cab and up off the floor to minimize exposure to corrosive elements		
4.3.60	Transmission: PTO: HOT SHIFT PTO WITH DIRECT MOUNT HYD PUMP		
4.3.61	Fuel Tanks/Def Tank: (2) Top draw, non-polished aluminum D-Style, 16" tank depth, 40 US gallons left side, 50 gallons right side		
4.3.62	Fuel Tanks/Def Tank: fuel tank straps shall be stainless steel to provide corrosion protection		
4.3.63	Fuel Tanks/Def Tank: DEF tank 7 gallons, frame mounted outside left rail, under cab		
4.3.64	Fuel Tanks/Def Tank: trucks must be full of fuel and DEF upon delivery		
4.3.65	Rear Axle: 21,000 lb (Meritor) MSQ1•14X-4DCR rear axle with driver controlled locking differential -6.14 gear ratio		
4.3.66	Rear Axle: 23,500 LB CAPACITY rear suspension WITH 4500 LB Auxiliary rubber spring -synthetic rear lube		
4.3.67	Tires and Wheels: Rims DISC FRONT 22.9<8.25, steel, painted white and MUST BE POWDER COATED		
4.3.68	Tires and Wheels: Rims DISC REAR 22.3<8.25, STEEL, painted white and MUST BE POWDER COATED		
4.3.69	Tires and Wheels: hub piloted		
4.3.70	Tires and Wheels: highway tread on front tires load range G		
4.3.71	Tires and Wheels: rear traction lug type tread load range G		
4.3.72	Exhaust: single, horizontal after treatment device, frame mounted under right rail, back of cab		
4.3.73	Exhaust: includes short horizontal tail pipe		
4.3.74	Extended Warranty: Engine warranty coverage shall cover UNLIMITED miles for a period of not less than 36 months		
4.3.75	Extended Warranty: AC/HEATER SYSTEM 60 MONTH/200,000 MILE COMPLETE COVERAGE		
4.3.76	Extended Warranty: ENGINE 60 MONTH/200,000 COMPLETE ENGINE WARRANTY		
4.3.77	Extended Warranty: AFTERTREATMENT 60 MONTH/200,000 COMPLETE COVERAGE		

	FLAT BED DUMP BODY SPECIFICATIONS:	YES	NO
4.3.78	Length: 12'		
4.3.79	Width: 96"		
4.3.80	Bulkhead: Full height to top of back pack		
4.3.81	Bulkhead: 3" structural channel post & framing		
4.3.82	Bulkhead: AR400 3/16" smooth steel		
4.3.83	Bulkhead: #9 expanded metal window		
4.3.84	Long Sills: 7" 9.8# structural channel		
4.3.85	Cross Sills: 4" 5.4# structural channel		
4.3.86	Side Rail: 5" formed side rail w/ 3" upper lid		
4.3.87	Side Rail: 1" offset for floor sheet		
4.3.88	Side Rail: 1" bottom lip 3/16" steel		
4.3.89	Rear Rail: 5" formed side rail w/ 3" upper lid		
4.3.90	Rear Rail: 1" offset for floor sheet		
4.3.91	Rear Rail: 1" bottom lip 3/16" steel		
4.3.92	Floor: 3/16" AR400 smooth steel		
4.3.93	Undercoat: Body to be fully undercoated		
4.3.94	Lights: FMVSS #108 lighting package		
4.3.95	Lights: Marker lights to be reflective		
4.3.96	Lights: Wiring to be sealed wiring harness		
4.3.97	Strobe: 4 LED programmable lights, amber		
4.3.98	Paint: Urethane paint w/ primer		
4.3.99	Paint: Urethane hardener		

	FLAT BED DUMP BODY SPECIFICATIONS:	YES	NO
4.3.100	Paint: Omaha Orange		
4.3.101	Hoist: NTEA class 50 twin cylinder hoist		
4.3.102	Hoist: Hot shift PTO		
4.3.103	Hoist: Direct mount pump		
4.3.104	Mud Flaps: Anti-spray, anti-sail mud flaps		
4.3.105	Back-Up Alarm: 12 Volt, 102dba		
4.3.106	Electric Brake: Draw tite 5504		
4.3.107	Electric Brake: Activator V		
4.3.108	Electric Brake: 100% solid state		
4.3.109	Sides: 24" high permanent		
4.3.110	Sides: AR400 3/16" steel		
4.3.111	Sides: 3" 11GA square tubular standards		
4.3.112	Sides: 3" 11GA square tubular top rail		
4.3.113	Tailgate: 24" high, swing open one piece		
4.3.114	Tailgate: Double acting tailgate, air operated		
4.3.115	Tailgate: Sheeted with 3/16" AR400 steel		
4.3.116	Tarp: Manual, self-retracting tarp system		
4.3.117	Tarp: HD mesh tarp, to fully cover load		
4.3.118	Hitch: Class 5 receiver hitch w/ combination		
4.3.119	Hitch: 2" ball / pintle hitch, safety chain		
4.3.120	Hitch: 7 – Way RV style light plug		
4.3.121	Step: E-Z step at right rear of body w/ grab handle		

	FLAT BED DUMP BODY SPECIFICATIONS:	YES	NO
4.3.122	Step: E-Z step at left rear of body w/ grab handle		
4.3.123	L Pack: Reading Rev-Pak 4554-4555		
4.3.124	Pump: Mounted between cab and body		
4.3.125	Pump: Linex interior of Rev-Pac		

4.4 ADDITIONAL OPTION: The County reserves the right to buy additional equipment at the same unit price subject to availability and to award in whole or in part.

4.5 DELIVERY

4.5.1 Delivery will be made to 33 Minus Avenue, Garden City, GA 31408 – At least one day advance notice will need to be made prior to delivery. All items shall be delivered F.O.B. destination and delivery costs and charges included in the bid unless otherwise stated in the specifications or proposal. (DO NOT anticipate drop shipping)

4.5.2 NO Dealer Advertising is to be on the equipment.

4.5.3 Chatham County Fleet Operations will be responsible for applying for all Georgia tags and titles. NOTE: Assign title to Commissioners of Chatham County, 124 Bull Street, Savannah, GA 31401

4.5.4 Invoices, MV-1 and MSO’s shall be sent to Chatham County Fleet Operations, Attn: Lori Love, P.O. Box 8161, Savannah GA 31412

4.5.5 Upon delivery, vehicle will have dealer drive out tags.

4.5.6 Five (5) sets of keys will be provided for each unit.

4.5.7 Equipment will be delivered with not less than a half a tank of fuel.

4.5.8 Each unit(s) shall be delivered with complete certification or origin, warranty, owner's manual and any other necessary credentials.

BID SHEET

BID NO. 21-0050-6

PURCHASE OF NEW DUMP TRUCKS FOR CHATHAM COUNTY FLEET

TABLE A.

ITEM NO	DESCRIPTION	MANUFACTURER'S NAME & MODEL NO	QTY	UNIT PRICE	TOTAL PRICE
1	DUMP TRUCK (per sect. 4.2 specifications)		1 EA		
2	EXTENDED WARRANTY (optional)		1 EA		

TIME REQUIRED FOR DELIVERY AFTER RECEIPT OF ORDER _____/DAYS
(Award may be contingent on delivery)

TABLE A. TOTAL (Item No. 1-2) \$ _____

TABLE B.

ITEM NO	DESCRIPTION	MANUFACTURER'S NAME & MODEL NO	QTY	UNIT PRICE	TOTAL PRICE
3	CREW CAB FLATBED DUMP TURCK (per sect. 4.3 specifications)		1 EA		
4	EXTENDED WARRANTY (optional)		1 EA		

TIME REQUIRED FOR DELIVERY AFTER RECEIPT OF ORDER _____/DAYS
(Award may be contingent on delivery)

TABLE B. TOTAL (Item No. 3-4) \$ _____

TOTAL BID (Item No. 1-4) \$ _____

Vendor Name: _____

Address: _____

City, State, Zip: _____

Phone number: _____ Fax: _____

Email: _____

Printed Name/Title: _____

Signature: _____

EXCEPTION SHEET

If the commodity (ies) and/or service proposed in your Bid is different from that contained in this proposal, the Bidder is responsible to clearly identify all such differences in the space below. Specifications associated with exceptions must include pictured literature and the manufacturer specifications. Otherwise, it will be assumed the Bidders' offer is in the total compliance with all aspects of the proposal.

Below are the only differences between my offer and the proposal. Add additional pages as needed.

DATE

SIGNATURE

COMPANY

TITLE

REFERENCES

COMPANY NAME: _____
ADDRESS: _____
CITY: _____ **STATE:** _____ **ZIP:** _____
CONTACT PERSON: _____
PHONE NUMBER: _____

COMPANY NAME: _____
ADDRESS: _____
CITY: _____ **STATE:** _____ **ZIP:** _____
CONTACT PERSON: _____
PHONE NUMBER: _____

COMPANY NAME: _____
ADDRESS: _____
CITY: _____ **STATE:** _____ **ZIP:** _____
CONTACT PERSON: _____
PHONE NUMBER: _____

COMPANY NAME: _____
ADDRESS: _____
CITY: _____ **STATE:** _____ **ZIP:** _____
CONTACT PERSON: _____
PHONE NUMBER: _____

ATTACHMENT A

DRUG - FREE WORKPLACE CERTIFICATION

THE UNDERSIGNED CERTIFIES THAT THE PROVISIONS OF CODE SECTIONS 50-24-1 THROUGH 50-24-6 OF THE OFFICIAL CODE TO GEORGIA ANNOTATED, RELATED TO THE ****DRUG-FREE WORKPLACE****, HAVE BEEN COMPLIED WITH IN FULL. THE UNDERSIGNED FURTHER CERTIFIES THAT:

1. A Drug-Free Workplace will be provided for the employees during the performance of the contract; and
2. Each sub-contractor under the direction of the Contractor shall secure the following written certification:

_____ (CONTRACTOR) certifies to Chatham County that a Drug-Free Workplace will be provided for the employees during the performance of this contract known as **PURCHASE OF NEW DUMP TRUCKS FOR CHATHAM COUNTY FLEET** (PROJECT) pursuant to paragraph (7) of subsection (B) of Code Section 50-24-3. Also, the undersigned further certifies that he/she will not engage in the unlawful manufacture, sale, distribution, possession, or use of a controlled substance or marijuana during the performance of the contract.

CONTRACTOR

DATE

NOTARY

DATE

ATTACHMENT B

PROMISE OF NON-DISCRIMINATION STATEMENT

Know All Men By These Presence, that I (We), _____
Name

_____, _____
Title Name of Bidder

(herein after Company) in consideration of the privilege to bid/or propose on the following Chatham County project procurement **PURCHASE OF NEW DUMP TRUCKS FOR CHATHAM COUNTY FLEET** hereby consent, covenant and agree as follows:

- (1) No person shall be excluded from participation in, denied the benefit of or otherwise discriminated against on the basis of race, color, national origin or gender in connection with the bid submitted to Chatham County or the performance of the contract resulting therefrom;
- (2) That it is and shall be the policy of this Company to provide equal opportunity to all business persons seeking to contract or otherwise interested with the Company, including those companies owned and controlled by racial minorities, and women;
- (3) In connection herewith, I (We) acknowledge and warrant that this Company has been made aware of, understands and agrees to take affirmative action to provide minority and women owned companies with the maximum practicable opportunities to do business with this Company on this contract;
- (4) That the promises of non-discrimination as made and set forth herein shall be continuing throughout the duration of this contract with Chatham County;
- (5) That the promises of non-discrimination as made and set forth herein shall be and are hereby deemed to be made a part of and incorporated by reference in the contract which this Company may be awarded;
- (6) That the failure of this Company to satisfactorily discharge any of the promises of non-discrimination as made and set forth above may constitute a material breach of contract entitling the County to declare the contract in default and to exercise appropriate remedies including but not limited to termination of the contract.

Signature

Date

ATTACHMENT C

DISCLOSURE OF RESPONSIBILITY STATEMENT

Failure to complete and return this information will result in your bid/offer/proposal being disqualified from further competition as non-responsive.

1. List any convictions of any person, subsidiary, or affiliate of the company, arising out of obtaining, or attempting to obtain a public or private contract or subcontract, or in the performance of such contract or subcontract.

2. List any indictments or convictions of any person, subsidiary, or affiliate of this company for offenses such as embezzlement, theft, fraudulent schemes, etc. or any other offenses indicating a lack of business integrity or business honesty which affects the responsibility of the contractor.

3. List any convictions or civil judgments under states or federal antitrust statutes.

4. List any violations of contract provisions such as knowingly (without good cause) to perform, or unsatisfactory performance, in accordance with the specifications of a contract.

5. List any prior suspensions or debarments by any governmental agency.

6. List any contracts not completed on time.

7. List any penalties imposed for time delays and/or quality of materials and workmanship.

8. List any documented violations of federal or any state labor laws, regulations, or standards, occupational safety and health rules.

I, _____, as _____
Name of individual Title & Authority

of _____, declare under oath that

Company Name _____

the above statements, including any supplemental responses attached hereto, are true.

Signature

State of _____

County of _____

Subscribed and sworn to before me on this _____ day of _____

20 by _____ representing him/herself to be

_____ of the company named herein.

Notary Public

My Commission expires:

Resident State: _____

DPC Form #45

ATTACHMENT D
CONTRACTOR AFFIDAVIT under O.C.G.A. § 13-10-91(b)(1)

By executing this affidavit, the undersigned contractor verifies its compliance with O.C.G.A. § 13-10-91, stating affirmatively that the individual, firm or corporation which is engaged in the physical performance of services on behalf of CHATHAM COUNTY has registered with, is authorized to use and uses the federal work authorization program commonly known as E-Verify, or any subsequent replacement program, in accordance with the applicable provisions and deadlines established in O.C.G.A. § 13-10-91. Furthermore, the undersigned contractor will continue to use the federal work authorization program throughout the contract period and the undersigned contractor will contract for the physical performance of services in satisfaction of such contract only with subcontractors who present an affidavit to the contractor with the information required by O.C.G.A. § 13-10-91(b). Contractor hereby attests that its federal work authorization user identification number and date of authorization are as follows:

Federal Work Authorization User Identification Number

Date of Authorization

Name of Contractor

Name of Project

Name of Public Employer

I hereby declare under penalty of perjury that the foregoing is true and correct.

Executed on _____, _____, 202__ in _____ (city), _____ (state).

Signature of Authorized Officer or Agent

Printed Name and Title of Authorized Officer or Agent

SUBSCRIBED AND SWORN BEFORE ME
ON THIS THE _____ DAY OF _____, 202__ .

NOTARY PUBLIC

My Commission Expires:

SUBCONTRACTOR AFFIDAVIT under O.C.G.A. § 13-10-91(b)(3)

By executing this affidavit, the undersigned subcontractor verifies its compliance with O.C.G.A. 13-10-91, stating affirmatively that the individual, firm or corporation which is engaged in the physical performance of services under a contract with _____ (name of contractor) on behalf of CHATHAM COUNTY has registered with, is authorized to use and uses the federal work authorization program commonly known as E-Verify, or any subsequent replacement program, in accordance with the applicable provisions and deadlines established in O.C.G.A. § 13-10-91. Furthermore, the undersigned subcontractor will continue to use the federal work authorization program throughout the contract period and the undersigned subcontractor will contract for the physical performance of services in satisfaction of such contract only with sub-subcontractors who present an affidavit to the subcontractor with the information required by O.C.G.A. § 13-10-91 (b). Additionally, the undersigned subcontractor will forward notice of the receipt of an affidavit from a sub-subcontractor to the contractor within five (5) business days of receipt. If the undersigned subcontractor receives notice of receipt of an affidavit from any sub-subcontractor that has contracted with a sub-subcontractor to forward, within five (5) business days of receipt, a copy of such notice to the contractor. Subcontractor hereby attests that its federal work authorization user identification number and date of authorization are as follows:

Federal Work Authorization User Identification Number

Date of Authorization

Name of Subcontractor

Name of Project

Name of Public Employer

I hereby declare under penalty of perjury that the foregoing is true and correct.

Executed on _____, _____, 202__ in _____ (city), _____ (state).

Signature of Authorized Officer or Agent

Printed Name and Title of Authorized Officer or Agent

SUBSCRIBED AND SWORN BEFORE ME
ON THIS THE _____ DAY OF _____, 202__ .

NOTARY PUBLIC
My Commission Expires:

ATTACHMENT E

**BIDDERS CERTIFICATION REGARDING DEBARMENT, SUSPENSION,
INELIGIBILITY AND VOLUNTARY EXCLUSION**

The undersigned certifies, by submission of this proposal or acceptance of this contract, that neither Contractor nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntary excluded from participation in this transaction by any Federal department or agency, State of Georgia, City of Savannah, Board of Education of local municipality. Bidder agrees that by submitting this proposal that Bidder will include this clause without modification in all lower tier transactions, solicitations, proposals, contracts, and subcontracts. Where the Bidder or any lower tier participant is unable to certify to this statement, that participant shall attach an explanation to this document.

Certification - the above information is true and complete to the best of my knowledge and belief.

(Printed or typed Name of Signatory)

(Signature)

(Date)

NOTE: The penalty for making false statements in offers is prescribed in 18 U.S.C. 1001

END OF DOCUMENT Mod. CC P & C 6/2005

ATTACHMENT F

**Chatham County
Minority and Women Business Enterprise Program
M/WBE Participation Report**

Name of Bidder: _____

Name of Project: _____

Bid No: _____

M/WBE Firm	Type of Work	Contact Person/ Phone #	City, State	%	MBE or WBE

MBE Total _____

WBE Total _____%

M/WBE Combined _____%

The undersigned should enter into a formal agreement with M/WBE Contractor identified herein for work listed in this schedule conditioned upon execution of contract with the Chatham County Board of Commissioners.

Signature _____ Print _____

Phone () _____

Fax () _____

ATTACHMENT G

***Systematic Alien Verification for Entitlements (SAVE) Affidavit
Verifying Status for Chatham County Benefit Application***

By executing this affidavit under oath, as an applicant for a Chatham County, Georgia Business License or Occupation Tax Certificate, Alcohol License, Taxi Permit, Contract or other public benefit as reference in O.C.G.A. Section 50-36-1, I am stating the following with respect to my bid for a Chatham County contract for _____ . [Name of natural

person applying on behalf of individual, business, corporation, partnership, or other private entity]

1.) _____ I am a citizen of the United States.

OR

2.) _____ I am a legal permanent resident 18 years of age or older.

OR

3.) _____ I am an otherwise qualified alien (8 ' USC 1641) or non-immigrant under the Federal Immigration and Nationality Act (8 USC 1101 et seq.) 18 years of age or older and lawfully present in the United States.*

In making the above representation under oath, I understand that any person who knowingly and willfully makes a false, fictitious, or fraudulent statement or representation in an affidavit shall be guilty of a violation of Code Section 16-10-20 of the Official Code of Georgia.

Signature of Applicant:

Date

Printed Name:

SUBSCRIBED AND SWORN
BEFORE ME ON THIS THE
____ DAY OF _____, 20____

* _____
Alien Registration number for non-citizens.

Notary Public
My Commission Expires:

LEGAL NOTICE

CC NO. 168278

Invitation to Bid

Sealed Bids will be received until **2:00 P.M.** on **April 23, 2021** and publicly opened in **Chatham County Purchasing & Contracting Department, at The Chatham County Citizens Service Center, 1117 Eisenhower Drive, Suite C, Savannah, Georgia 31406, for: BID NO : 21-0050-6 PURCHASE OF NEW DUMP TRUCKS FOR CHATHAM COUNTY FLEET.** Purchasing will open bids at the designated time and bidders may listen to the opening via conference call at 1-888-585-9008, conference room code 743-636-882.

PRE-BID CONFERENCE: Conference call has been scheduled for April 15, 2021, at 10:30 A.M. Participants may attend by calling 1-888-585-9008, conference room code 743-636-882. **You are encouraged to attend.**

Bid Package can be downloaded and printed from the County Purchasing and Contracting website <http://purchasing.chathamcounty.org>.

All firms requesting to do business with Chatham County must also register on-line at <http://purchasing.chathamcounty.org>. For additional information concerning specifications, please contact Lynn Strickland, Procurement Specialist at (912) 790-1621.

CHATHAM COUNTY HAS THE AUTHORITY TO REJECT ALL BIDS AND WAIVE MINOR FORMALITIES.

"CHATHAM COUNTY IS AN EQUAL OPPORTUNITY EMPLOYER, M/F/H. ALL BIDDERS ARE TO BE E Q U A L OPPORTUNITY EMPLOYERS"

MARGARET H. JOYNER, PURCHASING DIRECTOR

SAVANNAH NEWS/PRESS INSERT: April 8, 2021

